



Puzzi 8/1 C CUL

With the Puzzi 8/1 C we round off our existing commercial spray-extraction cleaner range with a powerful machine in the entry sector. This spray-extraction unit can be used efficiently for upholstery cleaning or for spot cleaning on carpeted floors. Because of the very low residual moisture, cleaned carpets and upholstery can be used again soon.



Puzzi 8/1 C CUL

- Foldable cable hook
- Large foot switch
- Accessory storage for hand nozzle

Technical data

Order no.	1.100-228.0	
EAN code	886622015772	
Air flow rate	l/s	61
Vacuum	mbar / kPa	230 / 23
Spray rate	l/min	1
Spray pressure/back pressure	bar	1
Fresh/dirty water tank	l	8 / 7
Turbine power	W	1200
Pump power	W	40
Weight	kg	9.8
Dimensions (L × W × H)	mm	530 × 330 × 440
Voltage	V	110-127
Frequency	Hz	50-60
Spray pressure	PSI	14.5

Equipment


Spray hose with integrated water feed	m	2.5
Integral accessory holder for manual nozzle		■
Power cord	m	7.5
Upholstery nozzle		■
Handle with trigger		■
Cable hook		■

■ Included in the scope of supply.

PUZZI 8/1 C CUL

1.100-228.0

KÄRCHER



		Order no.	Quantity	ID	Width	Length	Price	Description	
Upholstery tools									
Upholstery nozzle	1	4.130-001.0	1 piece(s)	ID 32	110 mm			Upholstery nozzle, 110 mm.	■
Spray/suction hoses									
Spray/suction hose, 2.5 m	2	6.394-826.0	1 piece(s)	ID 32		2.5 m		Standard spray/suction hose.	■
Spray/suction hose, 4 m	3	6.394-375.0	1 piece(s)	ID 32		4 m		Optional 4 m spray/suction hose.	□
Other									
Handle	4	4.130-000.0	1 piece(s)	ID 32				Enables quick change of floor, upholstery and crevice nozzles. With sight glass for checking the vacuumed dirty water. Adapters for spray and suction hose.	■
Defoamer dosage	5	4.006-907.0	1 piece(s)	ID 32				Container for defoamer solution.	□
Extension tube	6	4.025-004.0	1 piece(s)	ID 32	780 mm			Extension tube, individual.	□
Crevice nozzle	7	4.130-010.0	1 piece(s)	ID 32				Crevice nozzle for spray extraction cleaners.	□
D-handle	8	4.321-001.0	1 piece(s)					D-handle, individual, for extension tube 4.025-004.0. Adjustable without tools	□
Floor tools									
Flexible floor nozzle, 240 mm, complete	9	4.130-007.0	1 piece(s)	ID 32	240 mm			Kit consisting of floor nozzle (240 mm), suction pipe and D-handle. Transparent field of view for checking the vacuumed dirty water. Flexible squeegee.	□
Flexible floor nozzle, 240 mm, individual	10	4.130-008.0	1 piece(s)	ID 32	240 mm			Floor nozzle (240 mm), individual. Transparent field of view for checking the vacuumed dirty water. Flexible suction bar. Included in kit 4.130-007.0.	□
Hard surface adapters									
Hard floor rubber adapter, small 240 mm	11	4.762-014.0	1 piece(s)		240 mm			Hard surface adapter for floor nozzle, 240 mm.	□

■ Included in the scope of supply. □ Available accessories.