



## NT 50/1 Tact Te L CUL

The Professional NT 50/1 Tact Te wet and dry vacuum cleaner with multiple features. These include a 50-litre container with adjustable push handle and drain hose as well as an integrated power outlet.

### 1 Adjustable, ergonomic push handle

- Thanks to a quick lock, the adjustable push handle adapts to the size of the operator.
- The push handle can be easily folded away to save space when storing the machine.

### 2 Oil-resistant drain hose

- Oil-resistant, integrated drain hose for easy emptying of liquids.

### 3 Wide floor nozzle with quickly exchangeable inserts

- Floor nozzle with brush strip and squeegee inserts. Effortless switching between wet and dry vacuuming.

### 4 Central rotary switch

- Convenient switching via central rotary switch.



## NT 50/1 Tact Te L CUL

- Adjustable push handle
- Drain hose
- Antistatic preparation

### Technical data

<b>Order no.</b>	1.148-416.0	
<b>EAN code</b>	886622021735	
<b>Air flow rate</b>	<b>l/s</b>	71
<b>Vacuum</b>	<b>mbar / kPa</b>	242 / 24.2
<b>Container capacity</b>	<b>l</b>	50
<b>Max. rated input power</b>	<b>W</b>	1380
<b>Standard nominal width</b>		ID 35
<b>Sound pressure level</b>	<b>dB(A)</b>	68
<b>Container material</b>		plastic
<b>Number of motors</b>		1
<b>Frequency</b>	<b>Hz</b>	60
<b>Voltage</b>	<b>V</b>	120
<b>Weight</b>	<b>kg</b>	18.3
<b>Dimensions (L × W × H)</b>	<b>mm</b>	640 × 370 × 1045

### Equipment

<b>Suction hose</b>	<b>m</b>	4	<b>Filter cleaning</b>	Tact filter cleaning system
<b>Filter bag</b>		fleece	<b>Sturdy bumper</b>	■
<b>Wet and dry floor nozzle</b>	<b>mm</b>	360	<b>Push handle</b>	■
<b>Crevice nozzle</b>		■	<b>Safety class</b>	I
<b>Power tool connection adaptor</b>		■	<b>Steering roller stop</b>	■
<b>Drain hose (oil-resistant)</b>		■		
<b>Automatic switch-off at max. filling quantity</b>		■		
<b>Automatic on/off switch for power tools</b>		■		
<b>Antistatic preparation</b>		■		
<b>Flat pleated filter</b>		PES		
<b>Bend</b>		■		

■ Included in the scope of supply.

# NT 50/1 TACT TE L CUL

## 1.148-416.0

**KÄRCHER**


		Order no.	Quantity	ID	Length	Width	Price	Description	
<b>Flat pleated filter, PES</b>									
Flat pleated filter, PES	1	6.904-360.0	1 piece(s)					Flat pleated filter (PES) - BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS.	■
<b>HEPA, dust class H filter</b>									
HEPA flat pleated filter	2	6.904-242.0	1 piece(s)					HEPA surface filter - dust class H (HEPA 13) - with glass-fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.	□
<b>Plastic sacks for dust-free disposal</b>									
Plastic bag for dust-free disposal	3	2.889-158.0	10 piece(s)					PE plastic sack for dust-free disposal.	■
<b>Fleece filter bags (three-ply)</b>									
Fleece filter bags	4	2.889-155.0	5 piece(s)					Fleece filter bag with 40-50 litre volume. Tear-resistant, dust class M, for suction hose port in machine head.	■
<b>Bend, plastic</b>									
Bend Adv	5	2.889-170.0	1 piece(s)	ID 35				Ergonomic bend for the new clip system.	■
Bend	6	2.889-148.0	1 piece(s)	ID 35				Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design.	□
Bend Adv, electrically conductive	7	2.889-168.0	1 piece(s)	ID 35				Ergonomic bend for the new clip system. Electrically conductive design. Particularly suited to high concentrations of fine dust.	□
DN 40 bend	8	2.889-171.0	1 piece(s)	ID 40				Bend for the new clip system in nominal size DN 40.	□
Elektricky vodivé koleno, DN 40	9	2.889-172.0	1 piece(s)	ID 40				Ohyb pro nový klipový systém o velikosti DN 40. Elektricky vodivý design. Speciálně vhodný pro vysoké koncentrace jemného prachu	□
<b>Floor nozzles</b>									
Wet and dry floor nozzle Adv	10	2.889-152.0	1 piece(s)	ID 35		360 mm		360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	■
Wet and dry floor nozzle	11	6.906-512.0	1 piece(s)	ID 35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.	□
Multi-purpose nozzle, wet/dry	12	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Wet and dry floor nozzle	13	2.889-118.0	1 piece(s)	ID 35		400 mm		Multi-purpose nozzle (DN 35) for wet vacuum cleaning of large areas. Squeegee and brush are quick and easy to change.	□
Wet/Dry floor nozzle standard	14	2.889-173.0	1 piece(s)	ID 35		300 mm		300 millimetre width, anthracite coloured wet/dry floor nozzle, NW 35. With easy-to-change inserts. Incl. brush strips and squeegees.	□
Podlahová hubice, antracit DN40	15	2.889-174.0						Standardní podlahová hubice, antracit, s průměrem 40, s kartáčovými lištami a stěrkami. Vhodné pro všechny mokré i suché aplikace.	□
<b>Crevice nozzles</b>									
Crevice nozzle NT Tact DN 35	16	2.889-159.0	1 piece(s)	ID 35	225 mm			Crevice nozzle ID 35, for new Tact range.	■
Crevice nozzle NT Tact DN 40	17	2.889-160.0	1 piece(s)	ID 40	225 mm			Crevice nozzle ID 40, for new Tact range.	□
<b>Suction tubes, stainless steel</b>									
Suction tube set	18	2.889-175.0	1 piece(s)	ID 35	505 mm			Stainless steel suction tube set, NW 35, 2-part, each 0.55 millimetres.	■

■ Included in the scope of supply. □ Available accessories.

# NT 50/1 TACT TE L CUL

## 1.148-416.0

**KÄRCHER**



		Order no.	Quantity	ID	Length	Width	Price	Description	
Set suction tube stainless steel NW35 55	19	2.889-192.0	1 piece(s)	ID 35	550 mm			Stainless steel suction tube set (2 × 0.55 m)	■
Set suction tube stainless steel NW40 55	20	2.889-194.0	1 piece(s)	ID 40	550 mm				□
<b>Complete suction hoses (clip system)</b>									
Suction hose	21	2.889-135.0	1 piece(s)	ID 35	4 m			4 m suction hose with new bayonet and clip fastener.	■
	22	2.889-133.0	1 piece(s)	ID 35	2.5 m			2.5 m suction hose with new clip fastener, C 35.	□
	23	2.889-134.0	1 piece(s)	ID 35	2.5 m			2.5 m suction hose with new bayonet and clip fastener.	□
Electrically conductive suction hose	24	2.889-136.0	1 piece(s)	ID 35	2.5 m			Electrically conductive suction hose with new bayonet and clip fastener. Length: 2.5 m.	□
	25	2.889-137.0	1 piece(s)	ID 35	4 m			4 m suction hose with new bayonet and clip fastener. Electrically conductive.	□
Suction hose DN 40, length 4 m	26	2.889-138.0	1 piece(s)	ID 40	4 m			4 m suction hose with new bayonet and clip fastener.	□
Suction hose	27	2.889-139.0	1 piece(s)	ID 40	2.5 m			Suction hose with new bayonet and clip fastener. Length: 2.5 m.	□
Suction hose, oil-resistant	28	2.889-140.0	1 piece(s)	ID 40	4 m			Oil-resistant suction hose with new bayonet and clip fastener. Length: 4 m.	□
Electrically conductive suction hose	29	2.889-141.0	1 piece(s)	ID 40	4 m			4 m, electrically conductive suction hose with new bayonet and clip fastener.	□
	30	2.889-142.0	1 piece(s)	ID 40	2.5 m			Suction hose, electrically conductive, with new bayonet and clip fastener. 2.5 m long.	□
<b>Connection adapter for power tools, clip-on, electrically conductive</b>									
Tool collar DN 35, clip-on	31	2.889-151.0	1 piece(s)	ID 35				Tool adaptor with a rubber fixture and airflow control slide for the new clip system. Suitable for all current electric tools.	■
<b>Flat pleated filter, paper</b>									
Dry flat pleated filter	32	6.904-367.0	1 piece(s)					Dry flat pleated filter made from cellulose fibre material with a green label. Suitable for vacuuming fine dust and coarse dirt from dust classes L and M.	□
<b>Flat pleated filter, PTFE</b>									
Ultimate flat pleated filter	33	6.907-455.0	1 piece(s)					Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust classes M and L.	□
<b>Coarse dirt filter for wet vacuuming</b>									
Coarse dirt filter	34	6.904-287.0	1 piece(s)					Coarse dirt filter with perforated metal plate and foam seal suitable for wet pick up - NT 611 Eco K & KF models.	□
<b>Fabric filter</b>									
Membrane filter for the new Tact and Ap range	35	2.889-281.0						Additional membrane filter made from non-woven fabric for machines in the Tact and Ap range. To be pulled directly over the container, it enables vacuuming without a filter bag. Can be washed and reused.	□
Wood cartridge filter	36	2.414-000.0						Wood cartridge filter made from textile material with PTFE coating and a brown label. For safely vacuuming large quantities of wood and fibre dust from dust classes M and L.	□
<b>All-purpose brushes</b>									
All-purpose brush	37	6.900-425.0	1 piece(s)	ID 35	120 mm			All-purpose brush PPN_Bristle	□
<b>Car cleaning nozzles</b>									
Car nozzle	38	6.906-108.0	1 piece(s)	ID 35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	□
<b>Wide nozzles</b>									
Wide nozzle	39	4.130-029.0	1 piece(s)	ID 40		611 mm		For vacuuming large areas with the NT 50/1 Tact Te L.	□

■ Included in the scope of supply. □ Available accessories.

# NT 50/1 TACT TE L CUL 1.148-416.0

**KÄRCHER**



		Order no.	Quantity	ID	Length	Width	Price	Description	
<b>Combi-nozzles, dry</b>									
Combi-nozzle, dry	40	6.906-511.0	1 piece(s)	ID 35		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	<input type="checkbox"/>
<b>Suction brushes</b>									
Suction brush	41	6.903-862.0	1 piece(s)	ID 35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	<input type="checkbox"/>
<b>Suction tubes, metal</b>									
Suction tube set, chrome-plated, NW 35 550 mm	42	2.889-191.0	1 piece(s)	ID 35	550 mm			Suction tube set, metal-chrome-plated, NW 35, 2-part, each 0.55 millimetres.	<input type="checkbox"/>
<b>Repair kits</b>									
Repair kit ID 35	43	2.889-149.0	1 piece(s)	ID 35				Repair kit ID 35 for the new clip system.	<input type="checkbox"/>
Repair kit ID 40	44	2.889-150.0	1 piece(s)	ID 40				Repair kit ID 40 for the new clip system.	<input type="checkbox"/>
<b>Suction hoses (clip system)</b>									
Suction hose	45	6.906-321.0	1 piece(s)	40	4 m			4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	<input type="checkbox"/>
<b>Extension hoses (clip system)</b>									
Extension hose	46	2.889-145.0	1 piece(s)	ID 35	2.5 m			Extension hose for new clip system ID 35. Length: 2.5 m.	<input type="checkbox"/>
	47	2.889-146.0	1 piece(s)	ID 40	2.5 m			Extension hose for new clip system ID 40. Length: 2.5 m.	<input type="checkbox"/>
<b>Other</b>									
Drilling dust nozzle	48	2.679-000.0	1 piece(s)					Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
<b>Adapter for electric power tools, screwable</b>									
Adapter for electric power tools, screwable, ID 35	49	5.453-016.0	1 piece(s)	ID 35				3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.	<input type="checkbox"/>
<b>Target-group-specific accessory kits for vacuum cleaners</b>									
Universal trade and industrial set	50	2.637-595.0		ID 35				Accessory kit for trade and industry.	<input type="checkbox"/>
Heating boiler cleaning kit	51	2.638-852.0		ID 35				Accessory kit for vacuuming and cleaning boilers, oil stoves, etc.	<input type="checkbox"/>
Car cleaning accessory kit	52	2.862-166.0		ID 35				Target group-specific accessory nozzles in DN 35 for interior cleaning of vehicles, upholstery & fixtures.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.