



## HD 4.2/20 ST Eb B

These electric powered cold water pressure washer cabinets really take the heat, accepting heated water up to 180°F.

## HD 4.2/20 ST Eb B


### Technical data

Order no.		1.575-302.0
Current type	Ph / V / Hz	3 / 230 / 60
Working pressure	PSI	2000

### Equipment

Servo Control		-
Anti-twist system (AVS)		-

# HD 4.2/20 ST EB B 1.575-302.0



		Order no.	ID	Max. working pressure	Length	Price	Description	
<b>Standard with unions on both sides</b>								
High-pressure hose, 10 m, ID 8, 315 bar, extension	1	6.391-342.0	ID 8	315 bar	10 m		To extend the operating radius with the high-pressure cleaner. Connection on both sides M22 x 1.5.	▲
<b>Longlife 400 with unions on both sides</b>								
High-pressure hose Longlife 400, 10 m, ID 8, extension	2	6.391-354.0	ID 8	400 bar	10 m		To extend the operating radius with the high-pressure cleaner. Connection on both sides M22 x 1.5.	▲
<b>Longlife food design with screw connections at both ends</b>								
High pressure hose food ID 8, 10 m	3	6.391-864.0	ID 8	400 bar	10 m		Longlife HP hose for use in the food industry. Außen-decke## animal-grease-resistant, non-colour-bleeding material. With rotary coupling, 2 x M 22 x 1,5	▲
High-pressure hose food industry 400 bar, 20 m, ID 8, including rotary coupling	4	6.391-887.0	ID 8	400 bar	20 m			▲

▲ Extension hose.