



BR 30/4 C

The BR 30/4 C scrubber drier is light and compact – weighing only 11.5 kg, this highly innovative and powerful vacuum is ideal for cleaning hard surfaces from 20 to 200 m² as the perfect alternative to manual cleaning. Floors are immediately dry and non-slip after cleaning. Ideal for cleaning of smaller shops, restaurants, petrol stations, supermarkets, sanitary areas, hotels and snack areas or as a supplement to an existing scrubber drier.

1 High-speed roller brush

- Ten times higher contact pressure than manual cleaning.
- The roller brush also cleans structured surfaces and crevices.

2 Dries immediately

- The soft suction lips remove moisture backwards and forwards.
- The floor is dry immediately.

³ Suction can be switched off

- Suction can be switched off via the foot pedal
- Cleaning fleet can be applied and then suctioned for deeper cleaning.

4 Tanks are removable

- The handy fresh water tank can be removed and filled in small sinks.
- The dirty water tank can be removed separately and, for example, be emptied in the sink.

TECHNICAL DATA AND EQUIPMENT

KARCHER



BR 30/4 C

Suction can be switched offCleans forwards and backwards

Technical data		
Order no.		1.783-221.0
EAN code		886622000501
Current type	V / Hz	120 / 60
Working width of brushes	mm	300
Working width, vacuuming	mm	300
Max. area performance	m²/h	200
Fresh/dirty water tank	I	4 / 4
Brush contact pressure	g/cm²	100
Brush rotational speed	rpm	1450
Rated input power	w	700
Weight (with accessories)	kg	12
Dimensions (L × W × H)	mm	390 × 335 × 1180

Equipment Roller brush 2-tank system N

Mains operation	•
Transport wheels	•
2 squeegees, straight	•
Included in the scope of supply.	

the scope of supply.

		Order no.	Quantity	Battery volt- age	Battery capaci- ty	Battery type	Price	Description	
Battery and charger kits				-				· · · · · · · · · · · · · · · · · · ·	
Power cable 10m *USA	1	6.649-600.0							



		Order no.	Hardness / Brush type	Length	Colour	Quanti- ty	Price	Description	
Roller brushes									
Roller brush	1	4.762-005.0	medium	300 mm	red	1 piece(s)		Red standard roller brush for maintenance cleaning.	
	2	4.762-452.0	soft	300 mm	White	1 piece(s)		White roller brush for cleaning sensitive floor coverings.	
	3	4.762-484.0	high / low	300 mm	orange	1 piece(s)		Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings.	
	4	4.762-499.0	soft	300 mm	blue	1 piece(s)		For carpet cleaning.	



		Order no.	Length	Colour	Quanti- ty	Price	Description	
Squeegees			0		-,			_
Squeegee	1	4.777-008.0	300 mm	blue	1 piece(s)		Straight, oil-resistant.	
Squeegee carpet cleaning	2	5.033-275.0	300 mm					
Squeegee	3	4.777-324.0	300 mm	grey	1 piece(s)		Straight squeegee, oil-resistant, 300 mm. For cleaning, kitch- ens, workshops, restaurants, petrol filling stations, etc.	



		Order no.	Hardness / Brush type	Length	Diame- ter	Colour	Price	Description
Microfibre shaft								
Microfibre roller	1	4.762-453.0	microfibre	300 mm	60 mm	light green		Ideal for fine stoneware tiles. Microfibre roller for the relia- ble and gentle removal of grey haze.

 \blacksquare Included in the scope of supply. $\hfill\square$ Available accessories.



		Order no.	Length	Colour	Quanti- ty	Price	Description	
Miscellaneous							·	
Add-on kit eco!zero	1	5.388-133.0			1 piece(s)		With ecolzero for climate-neutral cleaning: as compensation for the CO2 which is produced by using the machine, we support climate protection projects worldwide.	
Filling hose	2	6.680-124.0	1.5 m		1 piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	
Extension cable	3	6.647-022.0	20 m		1 piece(s)		Extension cable, 20 m, 3x1.5 mm ² . With splash-proof earth- ing pin plug, strain relief and anti-kink sleeve.	
Carpet kit								
Carpet cleaning attachment kit	4	2.783-005.0			1 piece(s)		For intensive carpet cleaning. 2 suction lips for carpets + 1 blue roller brush + 1 RM 764 + 0.5 RM 769.	
Dosing aids								
DS 3 Cleaning Agent Dosing Sta- tion	5	2.641-811.0			1 piece(s)		After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes back- flow preventer (DIN EN 1717).	