



HDS 3.9/30 Ea ST NG 230V 1ph

Rugged natural gas heated cabinet pressure washer built for convenience and easy maintenance. The motor and pump are backed by generous 7-year warranties.

TECHNICAL DATA AND EQUIPMENT





HDS 3.9/30 Ea ST NG 230V 1ph

Technical data		
Water Volume	GPM	3,9
Operating pressure	PSI	3000
Connected load	Α	36
Power rating	hp	8,2
Weight	lbs	856
Dimensions (L x W x H)	in	49 × 24 × 48
Power supply	Ph/V/Hz	1 / 230 / 60

HDS 3.9/30 EA ST NG 230V 1PH











		Order no.	ID		Length		RRP	Description	
Standard with unions on both sides									
High-pressure hose packaged	1	6.391-342.0	ID 8	315 bar	10 m			A	
Longlife 400 with unions on both sides									
High-pressure hose packaged	2	6.391-354.0	ID 8	400 bar	10 m			A	
Longlife food design with screw connections at both ends									
High pressure hose food DN 8 / 10	3	6.391-864.0	ID 8	400 bar	10 m				
m								_	
High-pressure hose food industry	4	6.391-887.0	ID 8	400 bar	20 m				
400 bar, 20 m, DN 8, including								▲	
rotary coupling									

[☐] Available accessories. ▲ Extension hose.

HDS 3.9/30 EA ST NG 230V 1PH







		Order no.	Length		RRP	Description
Automatic, self-winding hose reels						
Add-on kit hose reel plastics	1	6.392-975.0	20 m			
Add-on kit hose reel	2	6.392-965.0	20 m			

[☐] Available accessories. ▲ Extension hose.