



Kärcher Liberty hand truck designs provides you with the power of hot water cleaning and the convenience of mobility thanks to the large pneumatic tires.

TECHNICAL DATA AND EQUIPMENT



Technical data		
Water Volume	GPM	3,5
Operating pressure	PSI	3000
Connected load	Α	13
Power rating	hp	7,5
Weight	lbs	605
Dimensions (L x W x H)	in	49 × 40 × 50
Power supply	Ph / V / Hz	3 / 460 / 60
Equipment		
Anti-twist system (AVS)		-
Pressure switch control		-
Switch-CHEM-System		-



















		Order no.	ID		Length		RRP	Description	
Standard with unions on both sides									
High-pressure hose packaged	1	6.391-342.0	ID 8	315 bar	10 m				
Longlife 400 with unions on both si	des								
High-pressure hose packaged	2	6.391-354.0	ID 8	400 bar	10 m				
High-pressure hose Longlife 400,	3	6.389-709.0	ID 8	400 bar	15 m				
15 m, DN 8, including rotary coup-									
ling		5000 4700	10.0	400.1	1.5				
High-pressure hose 1.5 m, DN 8, including connectors	4	6.390-178.0	ID 8	400 bar	1,5 m				
Longlife food design with screw con	nectio	nns at hoth ends						<u> </u>	
High pressure hose food DN 8 / 10		6.391-864.0	ID 8	400 bar	10 m	1			
m	J	0.551 004.0	100	400 bui	10 111				
High-pressure hose food industry	6	6.391-887.0	ID 8	400 bar	20 m				
400 bar, 20 m, DN 8, including									
rotary coupling									
Longlife 400			_						
High-pressure hose packaged	7	6.391-351.0	ID 8	400 bar	10 m				
Special hoses									
High-pressure hose 1.5 m, DN 8,	8	6.388-886.0	ID 8	400 bar	1,5 m				
including connectors, outlet bend									

[■] Included in delivery.

Available accessories.

Extension hose.





















		1	1		_			
								ı
								i
		Order no.		Length		RRP	Description	ı
Rotating spray lances		'						Т
1050 mm lance, rotatable, ergono- mic	1	4.760-660.0	300 bar	1050 mm				ı
Rotatable lance, 600 mm, ergono- mic	2	4.760-664.0	300 bar	600 mm				
Lance 850 mm, rotatable, ergonomic	3	4.760-663.0	300 bar	840 mm				
Lance 1550 mm, rotatable, ergonomic	4	4.760-661.0	300 bar	1550 mm				
Lance 2050 mm, rotatable, ergonomic	5	4.760-662.0	300 bar	2050 mm				
Spray lance								
Lance 250 mm, non-rotatable	6	4.760-667.0		250 mm				
Double lance								
Double lance 960 mm	7	6.394-665.0	310 bar	960 mm				
Weed control								
WR 50	8	2.643-758.0						
WR 20	9	2.643-760.0						

[■] Included in delivery.

Available accessories.

Extension hose.









		Order no.	Water Volume			RRP	Description
Easy Press high-pressure trigger gu	n with	holding force re	duction (Kärcher	patent)			
Extended easy press trigger gun	1	4.775-529.0					
Trigger guns							
High end high-pressure trigger gun	2	4.775-823.0					
Quick connect							
Quick coupling	3	6.401-458.0					
Plug nipple	4	6.401-459.0					

[■] Included in delivery.

Available accessories.

Extension hose.





		Order no.	Nozzle size		RRP	Description	
Power nozzle spray angle 25°							
25° power nozzle for applying cleaning agent	1	2.884-521.0	250				

[■] Included in delivery.

Available accessories.

Extension hose.







		Order no.			RRP	Description
Coupling parts		Order no.			RRP	Description
Coupling parts		6.987-705.0			RRP	Description
Coupling parts Rotary coupling					RRP	
Coupling parts					RRP	Description

[■] Included in delivery.

Available accessories.

Extension hose.







		1	1	1				_
		Order no.	Longth			RRP	Description	
		order no.	Length			KKP	Description	
Hose reels								
HOSE REEL KIT, 100' E-ZEE (HOSE	1	9.801-023.0					r	٦.
NOT INCL)								1
Automatic, self-winding hose reels								
Add-on kit hose reel plastics	2	6.392-975.0	20 m					
Add-on kit hose reel	3	6.392-965.0	20 m					٦l

[■] Included in delivery.

Available accessories.

Extension hose.