


Reman Balestacker

Reman Balestacker



*It's About
Time*





It's About TIME



To maintain the quality of your bales, to maximize your field's potential, to minimize your labour costs, its all about time.

The New Reman Balestacker models put you in charge. One operator can now retrieve bales from the field quickly and confidently at speeds up to 120 bales an hour.

On Or Off The Strings



It is a debate that once decided what machine you bought. Producers often debate the merits one way or the other. Some say it depends on what type of bale, wet, dry or straw. With the Reman Balestacker you can change your mind with every bale. All from the cab of the tractor with no manual adjustments needed to the machine. With a flip of a switch you decide how the bales will stack.

Under Your Thumb

Taking control of the Reman Balestacker is easily done from in the cab. The remote control puts all the unit's controls in one hand, allowing you to easily drive the tractor and operate the Balestacker at the same time.



Strong Arm Your Bales

The Reman Balestacker confidently grabs and lifts bales over 2,000 lbs. Bale lifting is kept to a minimum by the Reman's controlled roll of the bale onto the front table. The Balestacker's strong arm delivers predictable performance even on uneven terrain.



One And Done

One tip is all it takes to unload. Two powerful hydraulic lift cylinders gently and securely lift the load into a stack. Your bales now stacked, you are ready to get back to the field and finish the job.



Carry On

The heavy duty trailer chassis was built for the long run. Tandem walking beam axles smooth out the ride and provide stability getting in and out of the field. Matched to four treaded implement tires for control and floatation, the Balestacker has been designed to carry the load with confidence and ease.



1012 Specifications

Weight	10,000 lbs.
Length	31' 4"
Width	12'
Min. HP Req.	100
Min. Gallons/Min.	25 at 2300 PSI
Rec. Gallons/Min.	25-30
Electronics	12 Volt D.C. Easy Hookup
Controls	Electric over Hydraulic with hand held electronic keypad
Wheel Spindles	4 Spindles, 4" Diameter w/16,000 lbs. Cap. each
Hubs	10 Bolt Type
Tires	500 x 45 x 22.5 Floatation Tires

Mid Clamp

Lift Cap.	2900 lbs.
Max. Opening	56"
On or Off String Pick-up	Standard
Controls	In Cab

Big Clamp

Lift Cap.	2900 lbs.
Max. Opening	66"
On or Off String Pick-up	Standard
Controls	In Cab



24 - 32.5" x 34.5"
On or Off Strings

Model 1012



Model 1012 Big Clamp
12, 48"x 48" Straw Bales Shown



Model 1012

BIG CLAMP

Model 1012
24, 32.5"x 34.5" Straw Bales Shown

12 Bales

12 - 48" x 48"
On or Off Strings

18 Bales

18 - 48" x 36"
On Strings

16 Bales

16 - 36" x 48"
Off Strings



1018R Specifications

Weight	10,000 lbs.
Length	32' 10"
Width	108"
Min. HP Req.	100
Min. Gallons/Min.	25 at 2300 PSI
Rec. Gallons/Min.	25-30
Electronics	12 Volt D.C. Easy Hookup
Controls	Electric over Hydraulic with hand held electronic keypad
Wheel Spindles	4 Spindles, 4" Diameter w/16,000 lbs. Cap. each
Hubs	10 Bolt Type
Tires	500 x 45 x 22.5 Floatation Tires



Twist & Save

Big Clamp

Lift Cap.	2900 lbs.
Max. Opening	66"
On or Off String Pick-up	Standard
Controls	In Cab




Do The Twist

With two bales on the table. The Balestacker 1018R twists and turns the bales into their final position and lifts them on the the bed.






Model 1018R



8 - 48" x 48" x 8'
On or Off Strings



8 - 36" x 48" x 8'
Off Strings



12 - 36" x 48" x 8'
On Strings


Side Stacked

The model 1018R Balestacker allows you to build your stack along the long side of the bale. This allows you to make a long stack in a narrow space or even in a building. Bales can be easily retrieved from the stack by a loader the same way they were loaded in.



Save Time Save Money

Get your hay or straw bales off the field faster with the Reman Balestacker. Saving you time and money.



Reman Sales & Service

R.R.4 Listowel, ON. Canada N4W 3G9

Tel: (519) 291-5035

Fax: (519) 291-5281

A Division of Weber-Lane Manufacturing

remansales.com

Authorized Dealer