



HDS 3.0/20 C Ea

Compact single-phase hot water pressure washer with 3 gpm, eco!efficiency mode, one-button operation and continuous pressure/water volume regulation directly on the machine.



1 Economical

- eco!efficiency mode - economical and environmentally friendly, even during longer periods of use.
- Reduces fuel consumption and CO2 emissions by 20%.

2 Storage

- Lockable accessory compartment for nozzles, tools, etc.
- Large hose hook or hose reel.

3 Mobility

- „Jogger“ design with large wheels and castors.
- Large integrated handles in the chassis.

4 Ease of use

- Intuitive operation with single-button selector switch.



HDS 3.0/20 C Ea

■ Economical ecoefficiency mode

Technical data

Water Volume	GPM	1,3 / 3
Operating pressure	PSI	2000
Connected load	hp	5,6
Operating temp. max	°F	86
Weight	lbs	279
Dimensions (L x W x H)	in	42 x 26 x 36
Power supply	Ph / V / Hz	1 / 220-240 / 60

Equipment

Anti-twist system (AVS)	■	SDS system	■
Low fuel cut-out	■	Scale inhibitor	■
Exhaust gas temperature limiter	■	Switch-CHEM-System	-
Three piston axial pump	with stainless steel pistons		
Trigger gun	Easy-press trigger gun		
Infinitely variable pressure and water flow control on the unit	■		
Pressure switch control	■		
Trigger gun with soft grip	■		
Integral fuel and detergent tank	■		
Steam mode	■		
Power nozzle	■		

■ Included in delivery.



		Order no.	ID		Length	RRP	Description	
Standard with unions on both sides								
High-pressure hose packaged	1	6.391-342.0	ID 8	315 bar	10 m			▲
High-pressure hose, 30 m DN 8, including rotary coupling	2	6.390-293.0	ID 8	315 bar	30 m			▲
Longlife 400 with unions on both sides								
High pressure hose DN 6, 10 m, drehbar.l	3	6.391-883.0	ID 6	400 bar	10 m			▲
High-pressure hose packaged	4	6.391-354.0	ID 8	400 bar	10 m			▲
High-pressure hose Longlife 400, 30 m DN 8, including rotary coupling	5	6.390-294.0	ID 8	400 bar	30 m			▲
High-pressure hose 1.5 m, DN 8, including connectors	6	6.390-178.0	ID 8	400 bar	1,5 m			□
Longlife food design with screw connections at both ends								
High pressure hose food DN 8 / 10 m	7	6.391-864.0	ID 8	400 bar	10 m			▲
High-pressure hose food industry 400 bar, 20 m, DN 8, including rotary coupling	8	6.391-887.0	ID 8	400 bar	20 m			▲
Standard								
High-pressure hose, 10 m, DN 6, 300 bar, AVS trigger gun connection	9	6.391-875.0	ID 6	300 bar	10 m			□
Longlife 400								
High pressure hose DN 6, 10 m, Longlife	10	6.391-882.0	ID 6	400 bar	10 m			□
High-pressure hose packaged	11	6.391-351.0	ID 8	400 bar	10 m			□
High-pressure hose Longlife 400, 20 m DN 8, AVS trigger gun connector	12	6.390-208.0	ID 8	400 bar	20 m			□
Special hoses								
High-pressure hose 1.5 m, DN 8, including connectors, outlet bend	13	6.388-886.0	ID 8	400 bar	1,5 m			□

□ Available accessories. ▲ Extension hose.



		Order no.	Water Volume				RRP	Description	
Trigger guns									
High end high-pressure trigger gun	1	4.775-823.0							<input type="checkbox"/>
Quick connect									
Quick coupling	2	6.401-458.0							<input type="checkbox"/>
Plug nipple	3	6.401-459.0							<input type="checkbox"/>

Available accessories. ▲ Extension hose.



		Order no.	Nozzle size				RRP	Description	
Power nozzle spray angle 25°									
25° power nozzle for applying cleaning agent	1	2.884-521.0	250						<input type="checkbox"/>

Available accessories. ▲ Extension hose.



1



2



3

		Order no.					RRP	Description	
Coupling parts									
	1	6.987-705.0							<input type="checkbox"/>
Rotary coupling									
	2	4.401-091.0							<input type="checkbox"/>
Adapters									
	3	4.424-004.0							<input type="checkbox"/>

Available accessories. ▲ Extension hose.



		Order no.	Water Volume				RRP	Description	
Cup foam lance									
Cup foam lance	1	6.394-668.0	1200 l/h						<input type="checkbox"/>

Available accessories. ▲ Extension hose.



1



2

		Order no.	Length				RRP	Description	
Automatic, self-winding hose reels									
Add-on kit hose reel plastics	1	6.392-975.0	20 m						<input type="checkbox"/>
Add-on kit hose reel	2	6.392-965.0	20 m						<input type="checkbox"/>

Available accessories. Extension hose.



		Order no.		Length		RRP	Description	
Spray lance								
Lance 250 mm, non-rotatable	1	4.760-667.0		250 mm				<input type="checkbox"/>
Double lance								
Double lance 960 mm	2	6.394-665.0	310 bar	960 mm				<input type="checkbox"/>
Gutter cleaner								
Gutter cleaning lance	3	2.642-305.0						<input type="checkbox"/>

Available accessories. ▲ Extension hose.