



## HDS 4.8/30 Pe Cage

Electric start Kärcher oil fired hot water skids are used in today's most rugged and demanding environments. See why these are popular choices for industrial pressure washer cleaning needs.


## HDS 4.8/30 Pe Cage

### Technical data

Water Volume	GPM	4,8
Operating pressure	PSI	3000
Weight	lbs	854
Dimensions (L x W x H)	in	41

### Equipment

Anti-twist system (AVS)	-
Servo Control	-



		Order no.	ID		Length	RRP	Description	
<b>Standard with unions on both sides</b>								
High-pressure hose packaged	1	6.391-342.0	ID 8	315 bar	10 m			▲
<b>Longlife 400 with unions on both sides</b>								
High-pressure hose packaged	2	6.391-354.0	ID 8	400 bar	10 m			▲
High-pressure hose Longlife 400, 15 m, DN 8, including rotary coupling	3	6.389-709.0	ID 8	400 bar	15 m			▲
High-pressure hose 1.5 m, DN 8, including connectors	4	6.390-178.0	ID 8	400 bar	1,5 m			□
<b>Longlife food design with screw connections at both ends</b>								
High pressure hose food DN 8 / 10 m	5	6.391-864.0	ID 8	400 bar	10 m			▲
High-pressure hose food industry 400 bar, 20 m, DN 8, including rotary coupling	6	6.391-887.0	ID 8	400 bar	20 m			▲
<b>Longlife 400</b>								
High-pressure hose packaged	7	6.391-351.0	ID 8	400 bar	10 m			□
<b>Special hoses</b>								
High-pressure hose 1.5 m, DN 8, including connectors, outlet bend	8	6.388-886.0	ID 8	400 bar	1,5 m			□

□ Available accessories. ▲ Extension hose.



1



2-3

		Order no.	Water Volume				RRP	Description	
<b>Trigger guns</b>									
High end high-pressure trigger gun	1	4.775-823.0							<input type="checkbox"/>
<b>Quick connect</b>									
Quick coupling	2	6.401-458.0							<input type="checkbox"/>
Plug nipple	3	6.401-459.0							<input type="checkbox"/>

Available accessories.    ▲ Extension hose.



		Order no.	Nozzle size				RRP	Description	
<b>Power nozzle spray angle 25°</b>									
25° power nozzle for applying cleaning agent	1	2.884-521.0	250						<input type="checkbox"/>

Available accessories.    ▲ Extension hose.



		Order no.					RRP	Description	
<b>Rotary coupling</b>									
Rotary coupling	1	4.401-091.0							<input type="checkbox"/>
<b>Flue pipe</b>									
FLUE ADAPTER,FITS STACKLESS TOPS	2	8.903-430.0							<input type="checkbox"/>

Available accessories.    ▲ Extension hose.



		Order no.	Length				RRP	Description	
<b>Automatic, self-winding hose reels</b>									
Add-on kit hose reel plastics	1	6.392-975.0	20 m						<input type="checkbox"/>
Add-on kit hose reel	2	6.392-965.0	20 m						<input type="checkbox"/>

Available accessories.     Extension hose.



		Order no.		Length		RRP	Description	
<b>Spray lance</b>								
Lance 250 mm, non-rotatable	1	4.760-667.0		250 mm				<input type="checkbox"/>
<b>Double lance</b>								
Double lance 960 mm	2	6.394-665.0	310 bar	960 mm				<input type="checkbox"/>

Available accessories.    ▲ Extension hose.